

From: [Don Edgington](#)
To: austin.lindsey@westonsolutions.com; [Brescia, Nicolas](#)
Subject: FW: Water Source
Date: Tuesday, February 5, 2019 11:37:04 AM

FYI.

From: Don Edgington
Sent: Wednesday, October 24, 2018 6:45 AM
To: Terry McCalpin <tmccalpin@cityofleonard.net>
Cc: moore.gary@epa.gov; Delgado, Paige <Delgado.Paige@epa.gov>; Public Works <publicworks@cityofleonard.net>; Municipal Court <court@cityofleonard.net>
Subject: Re: Water Source
 Thank you, sir. I'll contact Brandon today.

Sent from my iPhone

On Oct 24, 2018, at 4:43 AM, Terry McCalpin <tmccalpin@cityofleonard.net> wrote:

Don,
 Please call Brandon at (b) (6) to request a bulk meter. We currently have one in service near North Oak Street at US 69.
 If we have another one, Brandon will get you set up with a location and our Utility Clerk, Jodi, at City Hall.
 If not, you will have to piggy-back and record your pulls from our bulk meter in use.
 Please advise if you have more questions.
 My mobile number is (b) (6) if you need to reach me.

Terry McCalpin, PWD
 111 West Collin Street
 Leonard d, Texas 75452
 (903) 587-3334 office

On Oct 23, 2018, at 9:35 AM, Don Edgington <d.edgington@erllc.com> wrote:

Good morning, Terry.
 I emailed you last week regarding discussing access of a fire hydrant when EPA begins work at the F.J. Doyle Salvage site on Poplar Street. I realize you are probably very busy but we would appreciate it if you could provide us the contact person or persons we would need to work with for water use during the demolition and excavation to be conducted at the property.
 Thank you again for your help.
 Regards,
 Don

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity

named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.